

# **CONPROCO WARRANTY PROCESS**

- 1) Complete and return the 'Application for Warranty' form to Conproco <u>before</u> your project begins. Conproco will review your application. If your project meets our requirements, we will mail you an 'Intent to Warrant' letter. <u>Conproco will not consider any applications received after a project has begun.</u> If you do not have an 'Intent to Warrant' letter, <u>Conproco is either unaware of your warranty request or has not received your application</u>.
- \*2) Construct a mock-up. The minimum mock-up size is 4' X 4'. The mock-up must remain on-site and available for inspection throughout your project.
  - 3) Contact your local Conproco representative to schedule your first site inspection. Your regional representative's name and phone number are located on the 'Conproco Warranty Inspection Form'. The first site inspection must take place before your project begins.
  - 4) Once you begin construction, be sure to save all invoices relating to Conproco purchases. All products and Product Batch Numbers (batch numbers are on every bag/container) must be recorded on the warranty inspection form.
  - 5) Complete applicable items on the 'Conproco Warranty Inspection Form' as construction progresses.
- \*6) Contact your Conproco representative to schedule the second inspection at approximately mid-point of the application.
- 7) After project completion, contact your Conproco representative to schedule the final inspection. After the Conproco representative has completed their portion of the inspection form, send your completed form and copies of all invoices to Conproco. Conproco will not consider incomplete forms.
- 8) Once Conproco has reviewed the material; we will contact your local distributor to confirm that your account is in good standing. When confirmed, the appropriate warranty will be issued. The warranty is not valid until signed by the party seeking warranty.
  - \* Indicated items are not required for 3 year product warranties.

6037435744 Fax

# COMPLETE AND RETURN THIS PAGE TO CONPROCO BEFORE PROJECT START DATE

# Conproco

Mail Completed Form To:

Conproco Corporation WAttn: Warranty Dept
17 Production Drive R
Dover, NH 03820

Warranty Application #
Regional Conproco Rep <u>Son Muchaud</u>
Regional Rep Phone # <u>6037816</u> 113

### **APPLICATION FOR WARRANTY**

Project Name	e	
Project Addre	roject Start Date	
Owner		
Anticipated P	Project Start Date	
Area Conpro	Project Start Date	
Applicator/Co	Contractor Name & Phone	
Applicator Ac	address	
Applicator e-	-mail address	Fax #
Estimated Ar	area of Conproco Product Application	
Conproco Pro	roducts to be Applied	
Substrate (e:	ex. new concrete, old CMU, stone, etc.)	
By signing be Conproco pro fulfilled:	pelow, you certify that you have reviewed and underst roduct to be covered by our extended Materials Limited	and the following conditions. In order for any d Warranty, the following conditions must be
1)	and specifications. Any product used for an uninten	ost current published technical bulletins, guidelines ded purpose (contrary to those recommended by
2)	specifications and technical data bulletins. Any prod Conproco's warranty. This provision includes, but is	uct installed incorrectly will not be covered by
3)		
Variance		
Reason for \		
Applicator's	Signatura	Date

# Conproco Warranty Inspection Form

#### CONPROCO PRODUCTS USED

LIST EACH PRODUCT SEPARATELY, CONTINUE ON ADDITIONAL SHEETS IF NECESSARY

Warranty Application #	20060605
Regional Conproco Rep	Barry Collen
Regional Rep Phone #	508-561-0837
***KEEP ALL INVOICES/RECEIPTS AS PROOF OF PURCHAS	<u>E***</u>
Conproco Product Name	Batch # on Packaging
Conproco Product Name	Batch # on Packaging
Conproco Product Name	Batch # on Packaging
Conproco Product Name	Batch # on Packaging
Conproco Product Name	Batch # on Packaging
Conproco Product Name	Batch # on Packaging
Conproco Product Name	Batch # on Packaging
INSPECTION #1 - SURFACE PREPARATION & MOCK UP	
CONTACT YOUR REGIONAL CONPROCO REP TO SCHEDULE INSPECT Coatings:	ION #1
	West a Discovice of the second
Cleaned Power Washed Sandblast Chemical Scabbler  Date Completed ASTM D2350 Adhesing Text	
Date Completed ASTM D3359 Adhesion Test % remaining  Primer Used Cure Time Before Test Mil Thickness	
Concrete & Stone Repair:	
Describe Method of Preparation	
Describe Method of Priming  Horizontal Surfaces:	WARRIED
Describe Method of Preparation	
Describe Method of Priming  Water Repellents: Rilem Test Results (Minimum Requirement is Five Areas)	
Area #1 Area #2 Area #3 Area #4 Area #5	
Aled #1 Aled #2 Aled #3 Aled #4 Area #5	
Mock Up (Must Remain On Site Throughout The Project, minimum size 4' X 4'): (This section will be complete	ted by a Conproco representative.)
Date Completed	
Comments:	
Conproco Representative Signature:	
INSPECTION #2 - APPLICATION  CONTACT YOUR REGIONAL CONPROCO REP TO SCHEDULE INSPEC	TION #2
Coatings:	
Mix Times	
Wet mil Thickness	
Method of Application	
If Pump or Sprayer Used, Provide Manufacturer and Model	
The state of the s	

#### Conproco Warranty Inspection Form

Concrete & Stone:	
Mixing Time per Batch	
Minimum Depth of Repair	
Maximum Depth of Repair	
Average Depth of Repair	
Method of Application	
If Pump or Sprayer Used, Provide Manufacturer and Model	
Curing Method	
Horizontal Surfaces:	
Mixing Time per Batch	
Average Depth	
Largest Area Applied Within Control or Expansion Gas	
Curing Procedure	
Water Repellents:	
Coverage Per Gallon	Minimum Temp During Application
Maximum Temp During Application	Minimum Temp During Curing
Conproco Representatives Signature	Date
INSPECTION #3 - PRO CONTACT YOUR REGIONAL CONPROCO	
Coatings(5 Readings for Dry mil Thickness): (This section will be completed to	by a Conproco representative.)
Area #1 Area #2 Area #3 Area #4	
Visual (Comments)	~
Uniform Coverage?	·
Uniform Texture?	
Uniform Color(if applicable)?	·
Concrete & Stone:	
Sound 10% of Repairs and Comment	
% of Repairs Not Sq. Edge	
Cracking Observed?	
Horizontal:	
Pull Test? Results	
Sound 10% of Area and Comment	
Cracking Observed?	
Water Repellents: Rilem Test Results (Minimum Requirement is Five Areas)	A//#II
Area #1 Area #2 Area #3 Area #4	Area #5
Conproco Representative Signature	Date

# **Extended Product Warranty Schedule**

	3	5	10
COMPLETE BEALTH & BASELLAND	Year	Year	Year*
CONCRETE REPAIR & PRESERVATION	<del>_</del>		
Corrosion Protection & Surface Preparation		<u> </u>	
ECB	X	X	
Conpro Start	X	S	
Conpro Primer	X	\$	
Conpro Weld	X		
Repair Mortars¹			
Conpro Set	X	S	
Forment	X	<u> </u>	
Gunshot LPS	X	S	
Gunshot	X	S	
One Shot Ag	X	S	
Express Set	X	S	
Cement Finish & Resurfacing			
One Shot 2C	X	S	
One Shot	X	Ş	
Plastermix	X	\$	
Additional Products			
C/G Grout	X		
STONE REPAIR & PRESERVATION			
Repair Mortars			
MIMIC	X	X	
MIMIC TR	X	Х	
Matrix	X	X	
Stains & Finishes			
M3P, M3P Stain	Х	X	X
Terracotta Gloss, Terracotta Matte Finish	X	X	
PROTECTIVE COATINGS <sup>2</sup>		- ^-	
Vertical Application			
M3P, M3P Stain	X	X	X
Conpro Lastic	X	X	<u> </u>
Color Coat	X	<del></del>	
Super Color Stain VO	<del>                                     </del>	S	
Horizontal Applications	<b>—</b>		
Elastideck	X		
Top Coat	X		L
Super Color Stain HR	+ <del>x</del>	S	
EXTERIOR WALL SYSTEMS	<del>  ~ ~ -</del>	<del></del>	
Base Coats		<del> </del>	<u> </u>
Structural Skin	<del>-  </del>		<del></del>
Conpro One Coat <sup>2</sup>	X	X   S	<u> </u>
Finishes	<u> </u>		
Conpro Flex	X	5	
Conpro Stucco	X	5	
WATER REPELLENTS	<del> </del> ^	3-	
Conpro Shield MX	<del></del>	X	
Conpro Shield W	X	<del>  ^-</del> -	X
Conpro Shield W20		X	<b> </b>
Conpro Shield QS2	\ \ \ \ \ \ \ \ \ \	<del>  ^</del>	<del> </del>
BELOW-GRADE WATERPROOFING	<del>  ^</del>	<del> </del>	<del> </del> -
Positive Side		<del> </del>	
		<del> </del>	
Foundation Coat	\ <u>X</u>		
F/C Membrane	X	ļ	<del> </del>
Negative Side	<del></del>	<del> </del>	<b></b>
Super Seal	- X	X	
Conpro Blug	<u>×</u>	<del> </del>	
Conpro Plug	S	<del> </del>	<del></del>
Conpro Stop	S	1	1

# X= Will warrant product S= Will warrant product as part of a system

- A five-year warranty for repair mortars requires a protective coating or water repellent to be applied
- A five-year warranty requires the decorative/protective coatings and base coat to be Conproco products

# Minimum project size= 20,000 sq. ft.

Exceptions:

Coatings/Repellents

3 yr warranty= 10,000 ft<sup>2</sup> 5 yr warranty= 20,000 ft<sup>2</sup>

Repair Mortars/Grout

3 yr warranty= 1,000 ft3

5 yr warranty= 2,000 ft<sup>3</sup> (not avail. for grout)

# \* 10 year warranties are prorated

Years 1-5=100% coverage

Year 6= 50% coverage

Year 7= 40% coverage

Year 8≈ 30% coverage

Year 9= 20% coverage

Year 10= 10% coverage

All Conproco products are covered by a one-year warranty, which is stated on our product packaging. Conproco does not supply warranty certificates for one-year warranties.